

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	21	(descriptor) with (hidden, secret, un\$1real, virtual) and (PIN, pass\$1word, pass\$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty) near2 (space, location, address, sector, region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:55
L35	70	(descriptor) and (PIN, pass\$1word, pass\$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty) near2 (space, location, address, sector, region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:54
L34	1	(descriptor) and UDF and (PIN, pass\$1word, pass\$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty) near2 (space, location, address, sector, region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:54
L33	11	(descriptor) same (PIN, pass\$1word, pass\$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty) near2 (space, location, address, sector, region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:54

L32	11	(descriptor) same (PIN, pass\$1word, pass \$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty) near2 (space, location, address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:52
L31	85	(descriptor) same (PIN, pass\$1word, pass \$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:52
L30	22	(descriptor) with (PIN, pass\$1word, pass \$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:50
L29	2	(descriptor) with (PIN, pass\$1word, pass \$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3) near3 (space, disk, location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:45
L28	20	(descriptor) with (PIN, pass\$1word, pass \$1phrase) same (unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:45
L27	15	(unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, watermark\$3) with (descriptor, meta \$1data) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:41

L26	3	(unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, watermark\$3) near3 (descriptor, meta \$1data) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:41
L24	2	(unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3, watermark\$3) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:41
L23	2	(unoccup\$3, hidden, secret, un\$1real, virtual, unallocat\$3, confident\$3) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:40
L22	2	(hidden, secret, un \$1real, virtual, unallocat\$3, confident \$3) near3 (descriptor) with (PIN, pass \$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:40
L21	2	(hidden, secret, un \$1real, virtual, unallocat\$3) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:39
L20	1	(hidden, secret, un \$1real, virtual) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:39
L19	1	(hidden, secret, un \$1real, virtual) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:39

L18	1	(hidden, secret, un \$1real, virtual) near3 (descriptor) with (PIN, pass\$1word, pass \$1phrase) and directory and udf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 14:38
L17	2	"20020064113"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:48
L16	2	"6490683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:44
L14	27	(hidden, secret, un \$1real, virtual) near3 (descriptor) and directory and udf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:14
L13	215	(hidden, secret, un \$1real, virtual) near3 (descriptor) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:13
L12	13	(hidden, secret) near3 (descriptor) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:11
L11	1	(hidden, secret) near3 (descript\$3) and directory and udf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:10
L10	60	(hidden, secret) near3 (descript\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:10

L9	2	(hidden, secret) near3 (file with descript\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:10
L8	2	(hidden, secret) near3 (file with descript\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:09
L6	1	(hidden, secret) near3 (file with descript\$3) and (root, main) near2 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:09
L4	1	(file with descript\$3) with (non\$1standard, un\$1convention\$3, irregul\$3, un\$1usual \$3) and (root, main) with directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:04
L3	1	(file with descript\$3) with (non\$1standard, un\$1convention\$3, irregul\$3, un\$1usual \$3) and (root, main) near2 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:04
L2	18	(descript\$3) with (non \$1standard, un \$1convention\$3, irregul \$3, un\$1usual\$3) and (root, main) near2 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:01
L1	1	(file near3 descript\$3) with (non\$1standard, un\$1convention\$3, irregul\$3, un\$1usual \$3) and (root, main) near2 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/01 13:00

8/ 1/ 2008 5:18:46 PM